Acta Obstetricia et Gynecologica Scandinavica

Published by

The Scandinavian Association of Obstetricians and Gynæcologists

Editor

Professor Axel Ingelman-Sundberg

Address

Sabbatsbergs kvinnoklinik, 11382 Stockholm, Sweden

© 1975 The Scandinavian Association of Obstetricians and Gynæcologists

Printed in Sweden by Almqvist & Wiksell, Uppsala 1975 Abd-El-Fattah, M. M., see Sammour, 393

Aho, I., see Seppälä, 209

Åkerlund, M., see Mårdh, 192

Åkerlund, M., see Mårdh, 193

Åkerlund, M., Bengtsson, L. P. and Carter, A. M.: A technique for monitoring endometrial or decidual blood flow with an intra-uterine thermistor probe, 469

Andersen, H. T., see Maltau, 401

Andersson, K.-E., Ingemarsson, I. and Persson, C. G. A.: Effects of terbutaline on human uterine motility at term, 165

Asmussen, M. and Ulmsten, U.: Simultaneous urethrocystometry and urethra pressure profile measurement with a new technique, 385

Åstedt, B., see Johansson, 449

Åstedt, B., see Nilsson, 491

Bakke, T., see Bergsjø, 41

Barhnart, H., see Hafez, suppl. 40

Bengtsson, L. P., see Åkerlund, 469

Bergsjø, P., Bakke, T. and Salamonsen, L.: Observer error in ultrasonic fetal cephalometry, 41

Bergsjø, P., Jenssen, H. and Vellar, O. D.: Dysmenorrhea in industrial workers, 255

Bergström, H.: The diagnostic value of renography in suspected obstruction of the urinary tract during pregnancy, 65

Bergström, H.: Renographic evaluation of renal excretion in hydronephrosis of pregnancy, 203

Borglin, N. E. and Staland, B.: Oral treatment of menopausal symptoms with natural oestrogens, suppl. 43

Boss Nielsen, J., Guldberg Madsen, O. and Dige Campbell, U.: Diazepam as a sedative in induced abortion, 237

Broberger, U., see Thalme, 129

Carlström, K., see Sköldefors, 89

Carlström, K. and Lunell, N.-O.: Interference of antiseptics containing hexamethylene tetraamine (Hiprex*) with the estimation of urinary oestriol excretion during pregnancy, 387

Carter, A. M., see Åkerlund, 469

Castrén, O., Gummerus, M. and Saarikoski, S.: Treatment of imminent premature labour, 95

Castrén, O. and Saarikoski, S.: Uterine muscle cell relaxation during pregnancy, 293

Cederqvist, R. L., Lindhe, B.-Å. and Fuchs, F.: Perforation of the uterus by the copper-T and copper-7 IUD, 183

Cerasi, E., see Edström, 347

Chretien, F. C., see Hafez, suppl. 40

Christensen, N. Chr., Davidsen, P. Chr., Secher, N. J. and Thomsen Pedersen, G.: Serum lipids during oestradiol-valerate/norgestrel treatment of menopausal women, 213

Daniel, J. L., see Hafez, suppl. 40

Date, J., see Rolschau, 341

Davidsen, P. Chr., see Christensen, 213

Dige Campbell, U., see Boss Nielsen, 237

Dottori, O., see Matouskova, 231

Ebbesen, F.: The relationship between the cephalo-pedal progress of clinical icterus and the serum bilirubin concentration in newborn infants without blood type sensitization, 329

Edström, K., see Thalme, 129

Edström, K., Persson, B., Cerasi, E. and Luft, R.: Patterns of free fatty acids, glycerol, D-β-hydrozybutyrate and insulin in pregnant women and their newborn infants, 347

Egholm, M., see Hansen, 287

El-Kabarity, M., see Sammour, 195

Ellegaard, J., Traunberg, H. and Esmann, V.: Elevated lymphocyte ATP-ase activity in patients with cancer of the uterine cervix, 223

Engström, L., see Thalme, 129

Esmann, V., see Ellegaard, 223

Fagerhol, M. K., see Gjønnaess, 363

Fex, G., Holmberg, N.-G. and Löfstrand, T.: Phospholipids and creatinine in amniotic fluid in relation to gestational age. Part I. Normal pregnancy, 425

Fjällbrant, B.: Tubal surgery, 463

Fogh-Andersen, P., Nielsen, N. C., Rebbe, H. and Stakemann, G.: The effect on fertility of ligation of the left spermatic vein in men without clinical signs of varicocele, 29

Forssman, L., see Matouskova, 231

Forssman, L.: Methods of calculating uterine blood flow from the wash-out curves of intra-arterial and local injections of ¹³³xenon, 479

Frantz, T., Lindback, T., Skjaeraasen, J. and Graven, S.: Phospholipids in amniotic fluid, Part II, 33

Frantz, T., see Lindback, 101

Friberg, J.: Clinical and immunological studies on spermagglutinating antibodies in serum and seminal fluid, suppl. 36

Fuchs, K., Peretz, B. A., Pfeifer, Y. and Sulman, F. G.: Serotonin, 5-HIAA, total estrogen and pregnanediol excretion in urine during therapeutic saline abortion, 157

Fuchs, K., see Cederqvist, 183

Furuhjelm, M., see Sköldefors, 89

Garg, A. K., see Gupta, 407

Gärtner, A., Larsson, L. T. and Sjöberg, N.-O.: Immunohistochemical demonstration of chorionic gonadotropin in trophoblastic tumors, 161

Gennser, G., see Nilsson, 491

Gjønnaess, H. and Fagerhol, M. K.: Studies on coagulation and fibrinolysis in pregnancy, 363

Graven, S., see Frantz, 33

Grundsell, H. and Håkansson, L.: The effect of a copper IUD and "inert" IUDs on the incorporation of ³H-thymidine and 5-³H-uridine into the endometrium of the

rabbit after stimulation with human chorionic gonadotropin, 173

Guldberg Madsen, O., see Boss Nielsen, 237

Gummerus, M., see Castrén, 95

Gupta, K. G. and Garg, A. K.: Presence of antisperm antibodies in fertile and infertile persons, 407

Gustafson, A., see Johnson, 77

Gustafson, A., see Johnson, 105

Gustafson, A., see Johnson, 241

Gustafson, A., see Samsioe, 265

Gustafson, A., see Samsioe, 333

Gustafson, A., see Samsioe, 417

Hafez, E. S. E., Barhnart, M. I., Ludwig, H., Lusher, J., Joelsson, I., Daniel, J. L., Sherman, A. I., Jordan, J. A., Wolf, H., Stewart, W. C. and Chretien, F. C.: Scanning electron microscopy of human reproductive physiology, suppl. 40

Hahn, L. and Korsan-Bengtsen, K.: The coagulation system during caesarean section, 49

Hahn, L. & Rybo, G.: Fibrinogen-fibrin degradation products in menstrual blood from women with normal and excessive menstrual blood losses, 119

Håkansson, L., see Grundsell, 173

Hamberger, L., see Larsson, 315

Hansen, K. and Egholm, M.: Diffuse vaginal adenosis, 287

Haram, K., see Romslo, 437

Hedner, U., see Nilsson, 491

Holmberg, L., see Nilsson, 491

Holmberg, N.-G., see Fex, 425

Ingelman-Sundberg, A.: Urge incontinence in women, 153

Ingemarsson, I., see Andersson, 165

Jacobson, L., see Nilsson, 491

Jägerhorn, M.: Paracervical block in obstetrics, 9

Järvinen, P. A. and Kouvalainen, K.: Twin pregnancy. Introduction, suppl. 44

Jenssen, H., see Bergsjø, 255

Jenssen, H.: The shape of the amniotic pressure curve before and after paracervical block during labour, suppl. 42

Joelsson, I., see Hafez, suppl. 40

Johansson, B. W., Kaij, L., Kullander, S., Lennér, H.-C., Svanberg, L. and Åstedt, B.: On some late effects of bilateral oophorectomy in the age range 15-30 years, 449

Johansson, E. D. B., see Nygren, 57

Johansson, E. D. B., see Widholm, 135

Johansson, E. D. B.: Plasma levels of progesterone and oestrogens in women treated with an oral contraceptive of low oestrogen content (Ovostat 1375), 217

Johnson, P., Samsioe, G. and Gustafson, A.: Studies in cholestasis of pregnancy. Part I, 77

Johnson, P., Samsioe, G. and Gustafson, A.: Studies in cholestasis of pregnancy. Part 11, 105

Johnson, P., Olegård, R., Samsioe, G. and Gustafson, A.: Studies in cholestasis of pregnancy. Part III, 241

Johnson, P., see Samsioe, 265

Johnson, P.: Studies in cholestasis of pregnancy. Part IV, 307

Johnson, P., see Samsioe, 333

Johnson, P., see Samsioe, 417

Jordan, J. A., see Hafez, suppl. 40

Jouppila, P.: Location of the missing intrauterine contraceptive device, 71

Jouppila, P., see Kauppila, suppl. 44

Jouppila, P., Kauppila, A., Koivisto, M., Moilanen, I. and Ylikorkala, O.: Twin pregnancy. Part II. The role of active management during pregnancy and delivery, suppl. 44

Jouppila, P., see Koivisto, suppl. 44

Kaihola, H. L., see Piiroinen, 247

Kaij, L., see Johansson, 449

Kajanoja, P., see Widholm, 135

Kamasaka, T., see Saito, 227

Kantero, R. L., Wide, L. and Widholm, O.: Endocrine changes before and after the menarche, Part II, 1 Karlsson, K.: Intra-uterine asphyxia, suppl. 35

Kato, K., see Saito, 227

Kauppila, A., Jouppila, P., Koivisto, M., Moilanen, I. and Ylikorkala, O.: Twin pregnancy, Part. I. A clinical study of 335 cases, suppl. 44

Kauppila, A., see Jouppila, suppl. 44

Kauppila, A., see Koivisto, suppl. 44

Kauppila, O.: The perinatal mortality in breech deliveries and observations on affecting factors, suppl. 39

Kauppinen, M., see Tervilä, 85

Khalifa, A. S., see Sammour, 195

Khalil, F. K., see Sammour, 393

Koivisto, M., see Kauppila, suppl. 44

Koivisto, M., see Jouppila, suppl. 44

Koivisto, M., Jouppila, P., Kauppila, A., Moilanen, I. and Ylikorkala, O.: Twin pregnancy. Part III. Neonatal morbidity and mortality, suppl. 44

Korhonen, M., see Ylikorkala, 303

Körlof, B., Nylén, B., Tillinger, K.-G. and Tjernberg. B.: Different methods of reconstruction after vulvectomies for cancer of the vulva. 411

Korsan-Bengtsen, K., see Hahn, 49

Kouvalainen, K., see Järvinen, suppl. 44

Koyama, T., see Saito, 227

Kretzschmar, G., see Thalme, 129

Kristoffersen, K., see Rolschau, 341

Kullander, S., see Johansson, 449 Lange, A. P. and Sjølie, A. K.: Cervical pregnancy, 91

Larsson, B., Hamberger, L. and Rybo, G.: Influence of copper intrauterine contraceptive devices on the menstrual blood loss, 315

Larsson, L.-I., see Gärtner, 161

Lauritzen, J. G.: The significance of oral contraceptives in causing chromosome anomalies in spontaneous abortions, 261

Lennér, H. C., see Johansson, 449

Leppäluoto, P.: Continued correspondence about corynebacterium vaginale (vol. 53: 283, 1974), 191

Liedholm, P.: On fibrinolysis in reproduction, suppl. 41 Lindback, T., see Frantz, 33

Lindback, T. and Frantz, T.: Effect of centrifugation on amniotic fluid phospholipid recovery, 101

Lindback, T., see Skjaeraasen, 319

Lindhe, B.-Å., see Cederqvist, 183

Löfstrand, T., see Fex, 425

Ludwig, H., see Hafez, suppl. 40

Luft, R., see Edström, 347

Lunell, N.-O., see Carlström, 387

Lusher, J., see Hafez, suppl. 40

Maltau, J. M.: The frequency of fetal bradycardia during selective epidural anaesthesia, 357

Maltau, J. M. and Andersen, H. T.: Continuous epidural anaesthesia with a low frequency of instrumental deliveries, 401

Mårdh, P. A. and Åkerlund, M.: Continued correspondence about coryne-bacterium vaginale, 192

Mårdh, P. A., Weström, L. and Åkerlund, M.: In vitro experiments on adherence of bacteria to vaginal epithelial cells, 193

Matouskova, A., Dottori, O., Forssman, L. and Victorin, L.: An improved method of epidural analgesia with reduced instrumental delivery rate, 231

Matsuzoe, Y., see Tojo, 325

Mattsson, T.: Frequency and management of urological and some other complications following radical surgery for carcinoma of the cervix uteri, 271

Milwidsky, A., see Wajntraub, 497

Mitzuhata, K., see Tojo, 325

Moberg, P., Sjöberg, B. and Wiqvist, N.: The hazards of vacuum aspiration in late first trimester abortions, 113

Moilanen, I., see Kauppila, suppl. 44

Moilanen, I., see Jouppila, suppl. 44

Moilanen, I., see Koivisto, suppl. 44

Mould, R. F., Reply to Rabbe (suppl. 30) about radiation treatment of cancer of the cervix, 389

Nielsen, P., see Fogh Andersen, 29

Nilsson, B. A., see Zador, suppl. 37

Nilsson, I.-M., Hedner, U., Åstedt, B., Gennser, O., Jacobson, L., Holmberg, L. and Ohrlander, S.: Intravascular coagulation in pregnancy – treatment with heparin, 491

Nishi, N., see Saito, 227

Nødskov-Pedersen, S.: Enzymatic studies of glycogen metabolism in nonmalignant and malignant biopsies from the human uterine cervix, 443

Nygren, K.-G. and Johansson, E. D. B.: The effect of norethindrone and some other synthetic gestagens upon the peripheral plasma levels of progesterone and estradiol during early human pregnancy, 57

Nylén, B., see Körlof, 411

Ohkura, T., see Saito, 227

Ohlsén, H.: Outcome of term breech delivery in primigravidae, 141

Ohrlander, S., see Nilsson, 491

Olegård, R., see Johnson, 241

Paldi, E., see Timor-Tritsch, 285

Peltonen, R.: Antibodies to herpesvirus hominis types 1 and 2 among women with neoplastic changes of uterine cervix, 369

Peretz, B. A., see Fuchs, 157

Permin, H., see Thorsgaard Pedersen, 281

Persianinov, L. S.: The use of electro-analgesia in obstetrics and gynecology, 373

Persson, B., see Edström, 347

Persson, C. G. A., see Andersson, 165

Pfeifer, Y., see Fuchs, 157

Piiroinen, O. and Kaihola, H.L.: Uterine size measured by ultrasound during the menstrual cycle, 247

Ramadan, M. A., see Sammour, 393

Rebbe, H., see Fogh Andersen, 29

Rolschau, J., Date, J., Kristoffersen, K., Thomsen Pedersen, G. and Ulrich, M.: Correlation between human chorionic somatomammotropin and placental weight, 341

Romslo, I., Sagen, N. and Haram, K.: Serum alkaline phosphatase in pregnancy. Part I, 437

Rybo, G., see Hahn, 119

Rybo, G., see Larsson, 315

Saarikoski, S., see Castrén, 95 Saarikoski, S., see Castrén, 293

Pages N. see Castlell, 2:

Sagen, N., see Romslo, 437

Saito, M., Koyama, T., Yaoi, Y., Kamasaka, T., Yazawa, K., Kato, K., Nishi, N. and Ohkura, T.: Site of ovulation and ectopic pregnancy, 227

Salamonsen, L., see Bergsjø, 41

Sammour, M. B., El-Kabarity, H. and Khalifa, A. S.: Progesterone therapy in pre-eclamptic toxaemia, 195

Sammour, M. B., Ramadan, M. A., Khalil, F. K. and Abd-El-Fattah, M. M.: Serum and placental lactic dehydrogenase and alkaline phosphatase isoenzymes in normal pregnancy and in pre-eclampsia, 393

Samsioe, G., see Johnson, 77

Samsioe, G., see Johnson, 105

Samsioe, G., see Johnson, 241

Samsioe, G., Johnson, P. and Gustafson, A.: Studies in normal pregnancy, Part 1, 265

Samsioe, G., Johnson, P. and Gustafson, A.: Treatment of pruritus in cholestasis of pregnancy with a new anion exchange resin (Secholex*), 333

Samsioe, G., Svendsen, P., Johnson, P. and Gustafson, A.: Studies in cholestasis of pregnancy, Part V, 417

Sandahl, B.: Short term changes in stillbirth rates in Sweden 1965-1971, 45

Secher, M. J., see Christensen, 213

Seppälä, M. and Aho, I.: Physiological role of meconium during delivery, 209

Sherman, A. I., see Hafez, suppl. 40

Sjöberg, B., see Moberg, 113

Sjöberg, N.-O., see Gärtner, 161

Sjølie, A. K., see Lange, 91

Skjaeraasen, J., see Frantz, 33Skjaeraasen, J. and Lindback, T.: Influence of intrauterine haemolysis on the amniotic fluid phospholipid concentration, 319

Sköldefors, H., Carlström, K. and Furuhjelm, M.: Aging and urinary oestrogen excretion in the male, 89

Söderlin, E.: Factors affecting prognosis of endometrial carcinoma, suppl. 38

Stakemann, G., see Fogh Andersen, 29

Staland, B., see Borglin, suppl. 43

Stewart, W. C., see Hafez, suppl. 40

Sulman, F. G., see Fuchs, 157

Svanberg, I., see Johansson, 449

Svendsen, P., see Samsioe, 417

Tanaka, M., see Tojo, 325

Tervilä, L., Vartiainen, E., Timonen, S. and Kauppinen, M.: The urine plasma ratio of some proteins in gestosis, 85

Tervilä, L. and Vartiainen, E.: Acid-base relationship between mother and fetus in gestosis (pre-eclampsia) and in pregnant women with a labile blood pressure, 251

Thalme, B., Edström, K., Broberger, U., Engström, L. and Kretzschmar, G.: Acid-base and electrolyte balance in infants of diabetic mothers, 129

Thomsen Pedersen, G., see Christensen, 213

Thomsen Pedersen, G., see Rolschau, 341

Thorsgaard Pedersen, N. and Permin, H.: Hyperparathyroidism and pregnancy, 281

Tillinger, K.-G., see Körlof, 411

Timonen, S., see Tervilä, 85

Timor-Tritsch, I. and Paldi, E.: Tubal pregnancy treated by salpingectomy using operative culdoscopy, 285 Tjernberg, B., see Körlof, 411

Tojo, S., Yamashita, S., Tanaka, M., Matsuzoe, Y. and Mizuhata, K.: Quantitative analysis of radioisotopic angiography in trophoblastic neoplasia, 325
 Traunberg, H., see Ellegaard, 223

Ulmsten, U.: Obstruction of the upper urinary tract after treatment of carcinoma of the uterine cervix, 297 Ulmsten, U., see Asmussen, 385

Ulmsten, U.: Intra-ureteric pressure in women undergoing hysterectomy for carcinoma of the uterine cervix, 485

Ulrich, M., see Rolschau, 341 Vartiainen, E., see Tervilä, 85

Vartiainen, E., see Tervilä, 251

Vellar, O. D., see Bergsjø, 255

Victorin, L., see Matouskova, 231

Wajntraub, G., Milwidsky, A. and Weiss, D.: Prevention of premature delivery in a unicornuate uterus by cervical cerclage, 497

Weiss, D., see Wajntraub, 497

Weström, L., see Mårdh, 193

Wide, L., see Kantero, 1

Widholm, O., see Kantero, 1

Widholm, O., Kajanoja, P. and Johansson, E. D. B.: Serum levels of oestradiol and progesterone during administration of prostaglandin F₂ for induction of abortion and labour, 135

Wiqvist, N., see Moberg, 113

Wolf, H., see Hafez, suppl. 40 Yamashita, S., see Tojo, 325

Yaoui, Y., see Saito, 227

Yazawa, K., see Saito, 227

Ylikorkala, O. and Korhonen, M.: Relationship between endometrial Arias-Stella phenomenon and concentrations of urinary chorionic gonadotropin and serum human placental lactagen, 303

Ylikorkala, O., see Kauppila, suppl. 44

Ylikorkala, O., see Jouppila, suppl. 44

Ylikorkala, O., see Koivisto, suppl. 44

Zador, G. and Nilsson, B. A.: Prostaglandins in clinical obstetrics and gynecology. Symposium at the XVIII Congress of Obst. and Gynecol. in Uppsala, June 5, 1974, suppl. 37

